


NOTES:

1. ALL WORK SHALL BE SUPERVISED BY AN ISA CERTIFIED ARBORIST.
2. NO ROOTS GREATER THAN 1.5" SHALL BE CUT WITHOUT REVIEW BY ARLINGTON COUNTY URBAN FORESTER.
3. ROOT AERATION GEO-COMPOSITE MATTING (TENAX TENDRAIN TRI-PLANAR GEONET OR EQUIVALENT).
4. EXCAVATION SHALL BE NOT MORE THAN MINIMUM NEEDED TO ACHIEVE REQUIRED FINAL GRADE.
5. ALL EXCAVATION SHALL BE BY AIR SPADE AND/OR BY HAND AS DIRECTED BY ISA CERTIFIED ARBORIST.
6. WORK SHALL NOT DAMAGE TREE TRUNK, LIMBS OR ROOTS TO REMAIN.

ALL SITE PREPARATION/GRADING TO BE DONE USING AIR EXCAVATION TO MINIMIZE ROOT DAMAGE. ALL WORK SHALL BE SUPERVISED BY AN ISA CERTIFIED ARBORIST



## FILL WITHIN CRZ WITH ROOT AERATION MATTING

SECTION  
311300.12 (2026)

NOT TO SCALE

