


NOTES

1. STAKING AND GUYING MAY ONLY BE IMPLEMENTED WHERE SITE CONDITIONS WARRANT THEIR USE. PLANTED TREES WILL BE ASSESSED INDIVIDUALLY BY ARLINGTON COUNTY URBAN FORESTER. STAKING AND GUYING WILL BE INSTALLED ONLY IF REQUIRED BY ARLINGTON COUNTY URBAN FORESTER. CONDITIONS WHERE STAKING AND GUYING MAY BE NECESSARY TO ENSURE STABILITY INCLUDE: WINDY LOCATIONS, STEEP SLOPES, OR WHERE VANDALISM MAY BE A CONCERN.


2. STAKES OR GUYS WILL BE INSTALLED USING ACCEPTED ARBORICULTURE PRACTICES. TREES SHALL STAND PLUMB AFTER STAKING.

3. INSTALLATION WILL INCLUDE THE REMOVAL OF ALL STAKING AND GUYING MATERIAL ONE YEAR AFTER INSTALLATION. ANY HOLES LEFT BY REMOVING STAKING SHALL BE FILLED WITH APPROVED TOPSOIL/BACKFILL MIXTURE.

4. REFER TO DETAILS FOR TREE PLANTING INFORMATION.



THIS DETAIL SUPERSEDES ALL OTHER DECIDUOUS TREE STAKING DETAILS IN ARLINGTON COUNTY.



DECIDUOUS TREE STAKING

ELEVATION
329300.6 (2016) (02930.6)

NOT TO SCALE

