

NOTES

- 1. TREE GRATES MAY ONLY BE USED UPON APPROVAL OF ARLINGTON COUNTY URBAN FORESTER.
- 2. REFER TO DETAIL 329300.5 FOR GENERAL STREET TREE PLANTING NOTES.
- 3. INSTALL RAILING, RAISED CURB, OR BORDER PER APPROVED PLANS WHILE RETAINING TREE PIT DIMENSIONS PER PLAN.

WIDTH VARIES  
REFER TO  
APPROVED PLANS

PLANTING SOIL PER PLANS  
AND/OR SPECIFICATIONS.  
SEE SOILS PLANS FOR EXTENT.

SIDEWALK PER ARLINGTON  
COUNTY STANDARD. SIDEWALK  
STRUCTURAL SUPPORT PER  
PROJECT PLANS AND OR  
SPECIFICATIONS.

REFER TO PLANTING DETAIL 329300.1



ADJACENT CURB PER  
ARLINGTON COUNTY STANDARDS

LIGHTING CONDUIT INSTALLED 36" MIN.  
DEPTH IN TREE PLANTING AREAS.

LINE SIDES OF EXCAVATION WITH FILTER FABRIC

4" PERFORATED HDPE, SMOOTH WALL INTERIOR,  
DRAIN PIPE WITH 4" MIN. GRAVEL SURROUND  
OF WASHED GRADED AGGREGATE (#57, #7, OR #8)  
CONNECTED TO STORM DRAIN SYSTEM OR DRAIN PIT PER  
ARLINGTON COUNTY STANDARDS.

UNDISTURBED SOIL OR  
APPROVED NEW SOIL COMPACTED  
TO 85% STD. PROCTOR



# STREET TREE PIT

SECTION  
329300.3 (2026)

1/2" = 1'-0"

